




PVC Door and Window Systems
Profile Catalogue



**PVC Door and Window Systems
Profile Catalogue**



A better world is possible tomorrow We are working to be..

We believe sustainability is more than reducing our carbon footprint. Acting with the belief that it is; environmental, social and economic perspectives should be considered as a whole. With this perspective, we continue our activities in all our business areas.

We operate within the framework of a business approach in all our business areas with this perspective, respectful to the environment, serving the future of our country and our world. As ASAŞ, we continue to make all investment and production decisions on the axis of our sustainability oriented strategy in order to make a better world possible tomorrow.

You can access our sustainability reports and video by scanning the QR codes below.

Report



ASAŞ

With a steady growth trend since its establishment in 1990, ASAŞ is one of the leading manufacturers in Europe, exporting to more than 90 countries in 6 continents. The company serves its customers in the field of Aluminium Profile, Aluminium Composite Panel, Aluminium Flat Products, PVC Profile and Roller Shutter Production Facilities, established on 400.000 m² closed complex in a total area of 1.300.000 m² factory in Turkey.

ASAŞ, while offers solution partnerships to many sectors such as;

- Construction
- Automotive
- Rail Systems
- Commercial Vehicles
- Aerospace Industry
- Energy
- Packaging
- Consumer Products
- Maritime Industries

The company aimed to provide fast and solution-oriented service especially to the European market with ASAŞ GmbH, which was established in 2018 in Koblenz, adjacent to Neuwied region in Germany. With the establishment of subsidiary, which is positioned as a logistics and service center in an area of 880.000 m², of which 72,793 m² is closed, the European activities of the company continue with a rapid growth.

Video



WHY PVC?



Good Mechanical Strength

The abrasion resistance, lightness and good mechanical strength and toughness of PVC profiles used in the production of windows and doors provide very important technical advantages in its use in building and construction applications.



Fire Resistance

PVC is naturally difficult to ignite, its ignition temperature is high. Combustion stops immediately when the heat source is removed. This feature makes PVC suitable for windows, doors, coatings, etc. makes it particularly suitable for applications.



Durability

PVC is resistant to weathering, chemical rot, corrosion, shock and abrasion. For this reason, it is preferred by customers in products exposed to open air and in places where many different longevity is desired.



LCA

The environmental impact of PVC has been found to be positive when compared to other materials used in the production of window profiles and doors according to LCA (Life Cycle Assessment) analysis.



Sustainable

Construction materials such as pipes, window profiles and flooring can be reused at the end of their life. With this feature, PVC provides significant benefits in terms of environment and economy.



Energy Efficient

In buildings, 28 percent of the energy escapes through the windows. The heat transmission coefficient of PVC material is better and a strong insulation material against sound, humidity and similar external effects.





Content

06 • Inova 76 mm Mid. Gasket / Inova 76 mm	42 • Maxi Empire 120 mm
12 • Inova Sliding System	48 • Maxi Riviera 105 - 125 - 165 mm
18 • Elegans 70 mm	54 • Elegans 60 mm
24 • Maxi Royal 70 mm	60 • Hebe Schiebe
30 • Maxi Majestic 70 mm	64 • Sliding System 74 - 70 mm
36 • Maxi Plus 80 mm	72 • Compact Sliding System 60 mm
	76 • Sill Profiles

INOVA

Inova 76 mm Middle Gasket / Inova 76 mm

Properties	Middle Gasket	Inova 76 mm
 Profile Width (mm)	76	76
 Number of Chamber for Frame Profile	5, 6, 7	5, 6
 Glass Thickness (mm)	24 - 50	24 - 50
 Thermal Insulation (Uw) W/m²K	0,78	-
 Air Permeability	Class 4	-
 Wind Load Resistance	Class C5/B5	-
 Water Tightness	Class E1500	-

Middle Gasket



Sash
3D



Dropper
Sash
3D



Inova 76 mm




Sash
3D




Dropper
Sash
3D




FRAME PROFILES




7602E FRAME




7601AE FRAME




7608E RENOVATION FRAME




7609AE RENOVATION FRAME




7606AE RENOVATION FRAME




7607E RENOVATION FRAME




7613E FRAME




7611E FRAME



7612AE FRAME




7617E RENOVATION FRAME




7616AE RENOVATION FRAME


SASH PROFILES




7622E SASH



7621AE SASH




7626AE DROPPER SASH




7627E DROPPER SASH


MULLION PROFILES




7632E MULLION




7633E MULLION




7631AE MULLION




7636AE MULLION



7638E MULLION




7637AE MULLION




7640E REBATE REVERSER




DOOR SASH PROFILES










7646E DOOR SASH







7645AE DOOR SASH


**7649E** OUTWARD OPENING DOOR SASH**7642E** DOOR SASH**7641AE** DOOR SASH

GLAZING BEADS


**7651** DOUBLE
GLAZING BEAD
24mm**7652** DOUBLE
GLAZING BEAD
24mm**7653** DOUBLE
GLAZING BEAD
28mm**7654** DOUBLE
GLAZING BEAD
32mm**7655** TRIPLE
GLAZING BEAD
40mm**7656** TRIPLE
GLAZING
BEAD 44mm**7658** TRIPLE
GLAZING BEAD
48mm**7657** TRIPLE
GLAZING BEAD
50mm

AUXILIARY PROFILES


**7662** 90° CORNER ADAPTER**7663** 76/100 EXTENSION**7667** 76/60 EXTENSION**7665** 76/40 EXTENSION




7666 FRAME EXTENSION




7664 76/20 EXTENSION




7661 CORNER ADAPTER




7254 CORNER PIPE



6019 MASKING PROFILE




7288 MASKING PROFILE



6055 MASKING PROFILE




7258 CONNECTION




7276 NARROW CONNECTION



7277 DROPPER







7279 FOR SILL



7251 PANEL PROFILE 150X24 mm

SECTIONAL DETAILS



INOVA

Sliding System

Properties		
	Profile Width (mm)	147
	Glass Thickness (mm)	24 - 50
	Thermal Insulation (Uw) W/m²K	1,40
	Air Permeability	Class 4
	Wind Load Resistance	Class B3
	Maximum Sash Weight (kg)	400
	Water Tightness	Class 9A




Video




3D




MAIN PROFILES




1471E FRAME



1472E SASH




1476E FRAME



7636AE MULLION


AUXILIARY PVC PROFILES




1473 FIX FRAME COVER



1474 SASH COVER




1475 CHANNEL COVER




7278 MASKING


GLAZING BEADS




7651 DOUBLE
GLAZING BEAD
24 mm




7652 DOUBLE
GLAZING BEAD
24 mm




7653 DOUBLE
GLAZING BEAD
24 mm




7654 DOUBLE
GLAZING BEAD
32 mm



7655 TRIPLE
GLAZING BEAD 40
mm



7656 TRIPLE
GLAZING BEAD
44 mm




7658 TRIPLE
GLAZING BEAD
48mm



7657 TRIPLE
GLAZING BEAD
50 mm


AUXILIARY ALUMINIUM PROFILES



A016689
FRAME TOP GUIDE



A016690
FRAME UNDER
GUIDE-RAIL




A016691
FRAME ESPAGNOLETTE
GUIDE




A016692
SASH
ESPAGNOLETTE
EXTENSION




A017031
FRAME BOTTOM
WET AREA COVER




A017270
SASH VERTICAL
ALUMINIUM COVER




A017581
MULLION
EXTENSION



A018686
C-SCHEME PASSIVE
SASH FILLING




A018687
C-SCHEME PASSIVE
IN-OUT COVER




A019812
ESPAGNOLETTE
CENTER
EXTENSION


AUXILIARY PROFILES




7662 90° CORNER ADAPTER




7663 76/100 EXTENSION




7667 76/60 EXTENSION




7665 76/40 EXTENSION




7666 FRAME EXTENSION




7664 76/20 EXTENSION




7661 CORNER ADAPTER




7254 CORNER PIPE



6019 MASKING PROFILE



7288 MASKING PROFILE



6055 MASKING PROFILE




7258 CONNECTION




7276 NARROW CONNECTION



7277 DROPPER






7279 FOR SILL



7251 PANEL PROFILE 150X24 mm

SECTIONAL DETAILS





ELEGANS

70 mm

Properties

	Profile Width (mm)	70
	Number of Chamber for Frame Profile	5
	Glass Thickness (mm)	4 - 40
	Thermal Insulation (Uw) W/m²K	Class 4
	Air Permeability	Class C5/B5
	Water Tightness	Class E

Sash








Sash
3D








Dropper
Sash
3D







FRAME PROFILES

FRAME	FRAME	FRAME	RENOVATION FRAME	RENOVATION FRAME
				
7501E 7501AE	- 7301AE	- 7506E	- 7505E	- 7305AE


SASH PROFILES

DROPPER SASH	DROPPER SASH	ADAPTER SASH	SASH	SASH
				
7507E	7065E	7070E	7503E 7503AE	7303AE

MULLION PROFILES

MULLION	MULLION	MULLION	REBATE REVERSER
			
7502E 7502AE	- 7302AE	- 7508E	- 7059E


DOOR SASH PROFILES




GLAZING BEADS




AUXILIARY PROFILES







7281 70x60 mm EXTENSION




7259 70x20 mm EXTENSION




7280 70x40 mm EXTENSION



7256 CONNECTION PROFILE




6051 60x100 BOX PROFILE




7275 NARROW CONNECTION




7258 CONNECTION




7257 FRAME EXTENSION




7274 MASKING




6019 MASKING PROFILE




7288 MASKING PROFILE



6055 MASKING PROFILE




6056 MASKING




6053 FRAME EXTENSION



7277 DROPPER






7279 FOR SILL



7251 PANEL PROFILE 150x24 mm

SECTIONAL DETAILS





MAXI ROYAL

70 mm

Properties		
	Profile Width (mm)	70
	Number of Chamber for Frame Profile	5, 6
	Glass Thickness (mm)	4 - 40
	Thermal Insulation (Uw) W/m²K	1,45
	Air Permeability	Class 4
	Wind Load Resistance	Class C5/B5
	Water Tightness	Class E

Aluminium Cover



Sash
3D





Dropper
Sash
3D





Aluminium
Cover
3D




FRAME PROFILES




SASH PROFILES




MULLION PROFILES




DOOR SASH PROFILES




AUXILIARY PROFILES



7072
INSIDE SASH COVER



7073
OUTSIDE SASH COVER




7075
INSIDE SASH COVER




7076
OUTSIDE SASH COVER


GLAZING BEADS




7074 SINGLE
GLAZING BEAD
4mm




6306 DOUBLE
GLAZING BEAD
14mm




6308 DOUBLE
GLAZING BEAD
16-17 mm




7088 DOUBLE
GLAZING BEAD
20mm




7094 DOUBLE
GLAZING BEAD
24mm



7062 DOUBLE
GLAZING BEAD
24mm



7064 DOUBLE
GLAZING BEAD
28mm



6307 DOUBLE
GLAZING BEAD
28-29mm




7063 TRIPLE
GLAZING BEAD
40mm




7464 TRIPLE
GLAZING BEAD
40mm


AUXILIARY PROFILES




7252 70x70 CORNER PROFILE
90 DEGREES




7253 CORNER PROFILE 135 DEGREES




7254 CORNER PIPE




7255 CORNER ADAPTER PROFILE




7281 70x60 mm EXTENSION




7259 70x20 mm EXTENSION




7280 70x40 mm EXTENSION



7256 CONNECTION PROFILE



6051 60x100 BOX PROFILE




7275 NARROW
CONNECTION




7258 CONNECTION




7276 NARROW
CONNECTION




7257 FRAME EXTENSION




7274 MASKING




6019 MASKING PROFILE




7288 MASKING PROFILE




6055 MASKING PROFILE




6056 MASKING




6053 FRAME EXTENSION



7277 DROPPER





7279 FOR SILL



7251 PANEL PROFILE 150x24 mm

SECTIONAL DETAILS



MAXI MAJESTIC

70 mm

Properties

	Profile Width (mm)	70
	Number of Chamber for Frame Profile	5
	Glass Thickness (mm)	4 - 40

Outward Opening



3D




Inward Opening




3D



FRAME PROFILES




7051
7051E
7051AE




7052
7052E
7052AE


SASH PROFILES




7054
7054E
7054AE



-
7065E
-




7053
7053E
7053AE




-
7087E
-

OUTWARD OPENING SASH




-
7061E
-

Z MULLION





-
7060E
-

MULLION PROFILES




DOOR SASH PROFILES






7090


AUXILIARY PROFILES



7072
INSIDE SASH COVER



7073
OUTSIDE SASH COVER




7075
INSIDE SASH COVER




7076
OUTSIDE SASH COVER


GLAZING BEADS




7074 SINGLE
GLAZING BEAD
4mm




6306 DOUBLE
GLAZING BEAD
14mm




6308 DOUBLE
GLAZING BEAD
16-17 mm




7088 DOUBLE
GLAZING BEAD
20mm




7094 DOUBLE
GLAZING BEAD
24mm



7062 DOUBLE
GLAZING BEAD
24mm



7064 DOUBLE
GLAZING BEAD
28mm




6307 DOUBLE
GLAZING BEAD
28-29mm



7063 TRIPLE
GLAZING BEAD
40mm




7464 TRIPLE
GLAZING BEAD
40mm




6053 FRAME EXTENSION



7277 DROPPER




7279 FOR SILL




7251 PANEL PROFILE 150x24 mm


AUXILIARY PROFILES




7252 70x70 CORNER PROFILE
90 DEGREES




7253 CORNER PROFILE 135 DEGREES




7254 CORNER PIPE




7255 CORNER ADAPTER PROFILE




7281 70x60 mm EXTENSION




7259 70x20 mm EXTENSION




7280 70x40 mm EXTENSION



7256 CONNECTION PROFILE




6051 60x100 BOX PROFILE




7275 NARROW
CONNECTION




7258 CONNECTION




7257 FRAME EXTENSION




7274 MASKING




6019 MASKING PROFILE




7288 MASKING PROFILE



6055 MASKING PROFILE



6056 MASKING



MAXI PLUS


80 mm

Properties		
	Profile Width (mm)	80
	Number of Chamber for Frame Profile	6
	Glass Thickness (mm)	4 - 40
	Thermal Insulation (Uw) W/m²K	1,3 - 0,9
	Air Permeability	Class 4
	Wind Load Resistance	Class C5/B5
	Water Tightness	Class E



FRAME PROFILES


FRAME



8061E


SASH PROFILES

DROPPER SASH




8064E

DROPPER SASH




7054
7054E
7054AE

SASH



7053
7053E
7053AE


SASH



7087E


MULLION PROFILES

MULLION




8062E

MULLION




7056
7056E
7056AE

MULLION



7077E


REBATE REVERSER




7059E

Maxi Plus
80 mm


DOOR SASH PROFILES




7057
7057E
7057AE




7058E




7080E




7081E



7084E
7084AE




7085E
7085AE




7090


AUXILIARY PROFILES



7072
INSIDE SASH COVER



7073
OUTSIDE SASH COVER




7075
INSIDE SASH COVER




7076
OUTSIDE SASH COVER


GLAZING BEADS




7074 SINGLE
GLAZING BEAD
4mm




6306 DOUBLE
GLAZING BEAD
14mm




6308 DOUBLE
GLAZING BEAD
16-17 mm




7088 DOUBLE
GLAZING BEAD
20mm




7094 DOUBLE
GLAZING BEAD
24mm



7062 DOUBLE
GLAZING BEAD
24mm




7064 DOUBLE
GLAZING BEAD
28mm



6307 DOUBLE
GLAZING BEAD
28-29mm




7063 TRIPLE
GLAZING BEAD
40mm




7464 TRIPLE
GLAZING BEAD
40mm


AUXILIARY PROFILES




7283 80x60 mm EXTENSION




7282 80x40 mm EXTENSION




6051 60x100 BOX PROFILE




7257 FRAME EXTENSION




7275 NARROW CONNECTION



7258 CONNECTION




7279 FOR SILL




7276 NARROW CONNECTION




7277 DROPPER




7274 MASKING




6019 MASKING PROFILE




7288 MASKING PROFILE



6055 MASKING PROFILE



7251 PANEL PROFILE 150x24 mm





MAXI EMPIRE

120 mm






Properties		
	Profile Width (mm)	120
	Number of Chamber for Frame Profile	5
	Glass Thickness (mm)	4 - 40
	Thermal Insulation (Uw) W/m²K	1,45
	Air Permeability	Class 4
	Wind Load Resistance	Class C5/B5
	Water Tightness	Class E750





FRAME PROFILES




SASH PROFILES




MULLION PROFILES



DOOR SASH PROFILES




DOOR ADAPTER




7081E

DOOR SASH




7084E
7084AE

DOOR ADAPTER




7085E
7085AE

DOOR SASH




7090


AUXILIARY PROFILES



7072
INSIDE SASH COVER



7073
OUTSIDE SASH COVER




7075
INSIDE SASH COVER




7076
OUTSIDE SASH COVER


GLAZING BEADS




7074 SINGLE
GLAZING BEAD
4mm




6306 DOUBLE
GLAZING BEAD
14mm




6308 DOUBLE
GLAZING BEAD
16-17 mm




7088 DOUBLE
GLAZING BEAD
20mm




7094 DOUBLE
GLAZING BEAD
24mm




7062 DOUBLE
GLAZING BEAD
24mm



7064 DOUBLE
GLAZING BEAD
28mm



6307 DOUBLE
GLAZING BEAD
28-29mm




7063 TRIPLE
GLAZING BEAD
40mm




7464 TRIPLE
GLAZING BEAD
40mm

AUXILIARY PROFILES




7257 FRAME EXTENSION




7275 NARROW CONNECTION




7277 DROPPER




7279 FOR SILL




7258 CONNECTION




7274 MASKING




6019 MASKING PROFILE




7288 MASKING PROFILE



6055 MASKING PROFILE



7251 PANEL PROFILE 150x24 mm



Maxi Empire
120 mm

MAXI RIVIERA


70 - 105 - 125 - 165 mm

Properties		
	Profile Width (mm)	70 - 105 - 125 - 165
	Number of Chamber for Frame Profile	5, 6
	Glass Thickness (mm)	4 - 40
	Thermal Insulation (Uw) W/m²K	1,37
	Air Permeability	Class 4
	Wind Load Resistance	Class C3/B5
	Water Tightness	Class 8A




FRAME PROFILES

FRAME




7051
7051E
7051AE

FRAME




7052
7052E
7052AE

FRAME




-
7086E
-

FRAME




-
7286E
-

RENOVATION FRAME




-
7068E
-

RENOVATION FRAME




7082
-
-

FRENCH FRAME




-
7066E
-

FRENCH FRAME




-
7067E
-

FRAME FRENCH




-
7079E
-

FRAME FRENCH




-
7287E
-

FRENCH WINDOW BOARD



-
7069E
-


FRENCH WINDOW BOARD



-
7089E
-


SASH PROFILES

DROPPER SASH




7054
7054E
7054AE

DROPPER SASH




-
7065E
-

ADAPTER SASH




-
7070E
-

SASH



7053
7053E
7053AE


SASH



-
7087E
-


MULLION PROFILES

MULLION




7056
7056E
7056AE

MULLION




-
7077E
-

MULLION



-
7078E
-


REBATE REVERSER



-
7059E
-


DOOR SASH PROFILES

DOOR SASH




7057
7057E
7057AE

OUTWARD OPENING DOOR SASH




7058E

DOOR SASH




7080E

DOOR ADAPTER




7081E

DOOR SASH




7084E
7084AE

DOOR ADAPTER




7085E
7085AE

DOOR SASH




7090


AUXILIARY PROFILES



7072
INSIDE SASH COVER



7073
OUTSIDE SASH COVER




7075
INSIDE SASH COVER




7076
OUTSIDE SASH COVER


GLAZING BEADS




7074 SINGLE
GLAZING BEAD
4mm




6306 DOUBLE
GLAZING BEAD
14mm




6308 DOUBLE
GLAZING BEAD
16-17 mm




7088 DOUBLE
GLAZING BEAD
20mm




7094 DOUBLE
GLAZING BEAD
24mm



7062 DOUBLE
GLAZING BEAD
24mm




7064 DOUBLE
GLAZING BEAD
28mm



6307 DOUBLE
GLAZING BEAD
28-29mm




7063 TRIPLE
GLAZING BEAD
40mm




7464 TRIPLE
GLAZING BEAD
40mm


AUXILIARY PROFILES




7252 70x70 CORNER PROFILE
90 DEGREES




7253 CORNER PROFILE 135 DEGREES




7254 CORNER PIPE




7255 CORNER ADAPTER PROFILE




7281 70x60 mm EXTENSION




7259 70x20 mm EXTENSION




7280 70x40 mm EXTENSION



7256 CONNECTION PROFILE




6051 60x100 BOX PROFILE




7275 NARROW CONNECTION




7258 CONNECTION




7257 FRAME EXTENSION




7274 MASKING




6019 MASKING PROFILE




7288 MASKING PROFILE



6055 MASKING PROFILE




6056 MASKING




6053 FRAME EXTENSION



7277 DROPPER



7279 FOR SILL



7251 PANEL PROFILE 150x24 mm

ELEGANS

60 mm

Properties

	Profile Width (mm)	60
	Number of Chamber for Frame Profile	3,4
	Glass Thickness (mm)	4 - 31


Outward Opening




Inward Opening




FRAME PROFILES




SASH PROFILES




MULLION PROFILES




DOOR SASH PROFILES




GLAZING BEADS




AUXILIARY PROFILES







6013 WIDE SCREEN




6050 EXTENSION




7257 FRAME EXTENSION




6021 MASKING




6014 NARROW CONNECTION




6019 MASKING PROFILE




7288 MASKING PROFILE




6055 MASKING PROFILE




6056 MASKING



7278 MASKING




7251 PANEL PROFILE 150x24 mm



6012 PANEL PROFILE





7277 DROPPER



7279 FOR SILL


SECTIONAL DETAILS






HEBE SCHIEBE

Properties	Middle Gasket
 Profile Width (mm)	170
 Glass Thickness (mm)	34 - 40
 Air Permeability	Class 3
 Wind Load Resistance	Class C4/B5
 Water Tightness	Class 7A




MAIN PROFILES

HEBE-SCHIEBE FRAME




1701 HEBE-SCHIEBE FRAME




1702 HEBE-SCHIEBE SASH


AUXILIARY PROFILES




1703 INNER SILL COVER




1704 SASH COVER




1705 CONNECTION
PROFILE for SASH




1706 CONNECTION
PROFILE for FRAME




1707 CONNECTION
PROFILE for FIXED SASH




1708 DROPPER
PROFILE for FRAME




1709 CENTRAL SUPPORT
AND INSULATION



1710 CONNECTION
BETWEEN SILL AND RAIL




1711 COVER
PROFILE for FRAME




1712 INTERLOCK


ALUMINIUM PROFILES




AB02005
ALUMINIUM REINFORCEMENT
FRAME (6767)




AB02001
ALUMINIUM HIGH
THRESHOLD (6695)




AB02006
ALUMINIUM NARROW
THRESHOLD (6774)




AB02007
ALUMINIUM OUTER
BOTTOM RAIL LIGHT
CAR (7430)



AB02008
ALUMINIUM INNER
BOTTOM RAIL LIGHT
CAR (7431)



AB02002
ALUMINIUM OUTER
BOTTOM RAIL HEAVY CAR
(6696)




AB02003
ALUMINIUM INNER
BOTTOM RAIL HEAVY
CAR (6697)




AB02004
ALUMINIUM UPPER
RAIL (6698)


GLAZING BEADS




7074 SINGLE
GLAZING BEAD
4mm




6306 DOUBLE
GLAZING BEAD
14mm




6308 DOUBLE
GLAZING BEAD
16-17 mm




7088 DOUBLE
GLAZING BEAD
20mm




7094 DOUBLE
GLAZING BEAD
24mm



7062 DOUBLE
GLAZING BEAD
24mm



7064 DOUBLE
GLAZING BEAD
28mm




6307 DOUBLE
GLAZING BEAD
28-29mm



7063 TRIPLE
GLAZING BEAD
40mm



7464 TRIPLE
GLAZING BEAD
40mm




SLIDING SYSTEM

74 - 70 mm

Properties	74 mm	70 mm
 Profile Width (mm)	74 - 76 - 94,5 - 137	70
 Glass Thickness (mm)	4 - 30	4 - 20
 Air Permeability	Class 3	-
 Wind Load Resistance	Class C3/B3	-
 Water Tightness	Class 4A	

74 mm



3D



70 mm




3D




FRAME PROFILES

SLIDING FRAME




7401E

SLIDING FRAME




7421E

SLIDING RENOVATION FRAME




7412E
7412AE

RENOVATION SLIDING FRAME
with MOSQUITO




7426E
7426AE

FIXED SLIDING FRAME




7403E

FIXED SLIDING FRAME




7411E

FIXED RENOVATION SLIDING FRAME




7423E
7423AE

THREE-RAIL SLIDING FRAME




7413E
7413AE


SASH PROFILES






MULLION PROFILES







AUXILIARY PROFILES



SLIDING 70 PROFILES









SCREENING PROFILES




GLAZING BEADS




ALUMINIUM PROFILES




GLAZING BEADS-74 (STANDARD APPLICATION)




6306
SINGLE GLAZING
BEAD 4mm




6308
SINGLE GLAZING BEAD
6-7 mm



6307
DOUBLE GLAZING
BEAD 20mm




7063
DOUBLE GLAZING
BEAD 24mm




7464
TRIPLE GLAZING BEAD
30mm


GLAZING BEADS-74 (for FIXED SLIDING APPLICATION)




7074-7074
SINGLE GLAZING
BEAD 4mm




7062-7062
DOUBLE GLAZING
BEAD 20mm




7064-7088
DOUBLE GLAZING
BEAD 20mm



7094-7094
DOUBLE GLAZING
BEAD 20mm




7064-7062
DOUBLE GLAZING
BEAD 24mm




6307-6307
DOUBLE GLAZING
BEAD 30mm

GLAZING BEADS-70 (STANDARD APPLICATION)




7088
DOUBLE GLAZING
BEAD 4mm




7464
TRIPLE GLAZING BEAD
24mm


AUXILIARY PROFILES




7252 70x70 CORNER PROFILE
90 DEGREES




7253 CORNER PROFILE 135 DEGREES




7254 CORNER PIPE




7255 CORNER ADAPTER PROFILE




7281 70x60 mm EXTENSION




7280 70x40 mm EXTENSION




7259 70x20 mm EXTENSION




7256 CONNECTION PROFILE




6051 60x100 BOX PROFILE




7275 NARROW CONNECTION




7257 FRAME EXTENSION




7258 CONNECTION




7274 MASKING




6019 MASKING PROFILE




7288 MASKING PROFILE




6055 MASKING PROFILE




6056 MASKING



7278 MASKING




6053 FRAME EXTENSION




7251 PANEL PROFILE 150x24 mm

SECTIONAL DETAILS




SECTIONAL DETAILS



COMPACT SLIDING SYSTEM


60 mm

Properties		
	Profile Width (mm)	60 - 98
	Glass Thickness (mm)	4 - 20
	Air Permeability	Class 4
	Wind Load Resistance	Class C2/B3
	Water Tightness	Class 6A




MAIN PROFILES

FRAME




7466E
7466AE

FRAME



7460E
7460AE


SASH



7461E
7461AE


AUXILIARY PROFILES

INTERLOCK



7463

GLAZING BEADS



7062
SINGLE GLAZING
BEAD 4mm




7063
DOUBLE GLAZING
BEAD 6mm




7464
DOUBLE GLAZING
BEAD 20mm


SCREE PROFILES




7465
SLIDING RAIL FRAME
SCREENING



7408
SLIDING SASH PROFILE
SCREENING




7409
SLIDING SASH in
MULLION




7410
SCREENING WING
FILLER

ALUMINIUM PROFILES



A020560
7461 SLIDING SASH
ALUMINIUM INTERLOCK



AB01014
SASH CONNECTION
PROFILE-6661




AB01013
RAIL-6626




AB01016
RAIL-13155

GLAZING BEADS (STANDARD APPLICATION)




7062
SINGLE GLAZING
BEAD 4mm




7464
DOUBLE GLAZING
BEAD 20mm


GLAZING BEADS (for FIXED SLIDING APPLICATION)



7062-7062
SINGLE GLAZING BEAD
4mm




6308-7063
DOUBLE GLAZING
BEAD 6mm




7062-7464
DOUBLE GLAZING
BEAD 20mm


AUXILIARY PROFILES




6020 KUTU PROFİLİ




6016 CORNER PIPE




6015 CORNER ADAPTER PROFILE




6051 60x100 BOX PROFILE




6050 EXTENSION




6013 WIDE SCREEN




6021 MASKING




6014 NARROW CONNECTION




7274 MASKING




7278 KLİPSLİ MASKING




6019 MASKING PROFILE




7288 MASKING PROFILE



6055 MASKING PROFILE




6056 MASKING




6012 PANEL PROFILE


SILL PROFILES




D100




D150




D200




D250




D300




D350




D400




D406







D100




D150




D200




D250




D300




D350



D400



D406



Web Sites



asaspn.com.tr



asasarchitecture.
com.tr



asaspanjur.com.tr



asastr.com

Social Media



Instagram
/asaspn.veratec



Instagram
/asas_mimari



Facebook



Youtube



LinkedIn



X

3D Images



Sketchfab



Sanal
Showroom

**PVC Door and Window Systems
Profile Catalogue**



ASAŞ Alüminyum Sanayi ve Ticaret A.Ş.

Genel Müdürlük / Headquarters
Rüzgarlı Bahçe Mah., Kumlu Sok., No: 2
Asaş İş Merkezi, 34810 Kavacık
Beykoz - İstanbul, Türkiye
T +90 216 680 07 80 **F** +90 216 680 07 81
asastr.com

ASAS GmbH

Rasselsteiner Str. 101
56564 Neuwied, Deutschland
T +49 (0) 2631 90209-20
F +49 (0) 2631 90209-11